

Cloud prijslijst Nederland Mei 2012 (11)

Mennegat Trading BV
 Vonderweg 14b, 7468 DC, Enter
 Orderdesk: 0547-382500 / Fax: 0547-385164
 Order email: verkoop@mennegat.nl
 Garantie: 5 jaar
 Voorraadstatus op www.mennegat.nl



ART NUMMER	TYPE NUMMER	OMSCHRIJVING	ADVIES EX.
<u>DIGITALE 8 ZONE MIXER</u>			
230117.00	DCM1	Digital Mixer, 8 Music inputs, 4 mic inputs + paging mic, 8 x facility inputs, 8 output zones en uit te breiden naar 16 of 24 zones..	€ 1.499
230144.00	CDR1F-B	Wall Flushmount RC for DCM1 (Black) onderling via cat5 door te koppelen.	€ 139
230145.00	CDR1F-S	Wall Flushmount RC for DCM1 (Silver) onderling via cat5 door te koppelen.	€ 139
230146.00	CDR1F-W	Wall Flushmount RC for DCM1 (White) onderling via cat5 door te koppelen.	€ 139
230143.00	CDR1	Wall mount RC for DCM1	€ 139
230147.00	LE1	Line Ext Plate for DCM1, incl metalen inbouwdoos	€ 139
230148.00	BE1	Bal Ext Plate for DCM1, incl metalen inbouwdoos	€ 139
230149.00	ME1	Mic Ext Plate for DCM1, incl metalen inbouwdoos	€ 139
230128.00	CPMPSU	External PSU for use with PM mics, required if more than one mic is used and for CDR1 and CDR1F	€ 29
	RCA 464	2x RCA male to RCA male+contra 150cm	€ 2
	USB-SER	USB to Serial cable 60cm 480 Mbps transfer speed	€ 52
<u>ZONE MIXERS</u>			
230100.00	Z4	4 zone mixer met 6 music inputs en 2 mic inputs per zone en 4 facility inputs.	€ 829
230101.00	Z8	8 zone mixer met 6 music inputs en 2 mic inputs per zone en 8 facility inputs.	€ 1.129
230133.00	DM1	Remote active module with 2 mic inputs, mic level & HF/LF controls and music ducking. Voor Z4, Z8, 46/50.	€ 149
230134.00	LM1	Remote active module with line inputs op rca, regelbare mic inputs, aparte bronkeuze en volume control. Incl inbouwdoos metaal BB960011. Voor 46/50, Z4, Z8.	€ 139
230102.00	CX163	2 zones. 6 Stereo line inputs, 1 mic inputs, 2 stereo output zones plus mono utility output	€ 449
230103.00	CX261	1 zone. 5+1 MP3 Stereo line inputs, 2 mic inputs, 1 stereo output. MOH output	€ 449
230104.00	CX263	3 zones. 6 Stereo line inputs, 2 mic inputs, 3 output zones. Gebruik CDIS200 voor RS232.	€ 619
230151.00	CDIS200	Voor CX263. Serial interface module, RS232 control for music source, music & mic levels & mic muting	€ 119
230105.00	CX462	1 zone. Audio system controller, 6 music inputs (one stereo output), 4 mic inputs (mono output). Gebruik CDIS100 voor RS232.	€ 629
230150.00	CDIS100	Voor CX462. Serial interface module, RS232 control for music source, music & mic levels & mic muting	€ 99
<u>HEADPHONE DISTRIBUTION SYSTEM</u>			
230106.00	CAM-16	8 Stereo input, 16 output Headphone Distribution Processor	€ 1.279
230107.00	CAS-16	System expansion unit with 16 outputs	€ 1.099
230135.00	RH8C	Personal Control Unit, including 3m (flat) RJ45 cable and fixing kit, remote control.	€ 59
230140.00	WP8	Wall mounting Personal Control unit (similar size to an RL-1)	€ 79
230136.00	CA321034	Service kit (complete PCB assembly) for RH-8 Personal Control Unit	€ 25
<u>CX 335 COMPRESSOR-LIMITER</u>			
230108.00	CX335	Split band stereo Compressor-Limiter, complete with security cover	€ 679

ART NUMMER	TYPE NUMMER	OMSCHRIJVING	ADVIES EX.
LUIDSPREKERS GESCHIKT VOOR CLOUD VERSTERKERS			
1132	ITEC Monitor 6, 8 Ohm	Opbouw luidspreker 60W, 8 Ohm, 6,5"en 1", afm: 204 x 286 x 221 mm (BxHxD), 3,7 kg, 100Hz-16kHz, SPL 1w 1M: 90 dB, Max SPL 106 dB, zwart of wit, geschikt voor achtergrond muziek in de horeca. Wordt uitgeleverd en gefactureerd via ITEC.	€ 295
1131	ITEC Monitor 6 - 100V	Opbouw luidspreker 100V, 50W/25W/12,5W/6,75W, 6,5"en 1", afm: 204 x 286 x 221 mm (BxHxD), 4,1 kg, 100Hz-16kHz, Max SPL 104 dB, zwart of wit, geschikt voor achtergrond muziek in de horeca. Wordt uitgeleverd en gefactureerd via ITEC.	€ 358
1134	ITEC Monitor12i, 8 Ohm	Opbouw luidspreker, 300W RMS, SPL 1w 1M: 101dB, 12"en 1", 21kg, zwart, 68Hz-22kHz. Wordt uitgeleverd en gefactureerd via ITEC. Wij adviseren de VTX4400 versterker.	€ 1.023
785	ITEC Genuine 2, 4 Ohm	Opbouw luidspreker 100W, 4 Ohm, 2x6,5" en 1", 5,9 kg, waterbestendig, zwart of wit, geschikt voor achtergrond muziek in de horeca. Afm: 47,2x20,4x22,3 cm. Wordt uitgeleverd en gefactureerd via ITEC.	€ 443
869	ITEC Genuine 2, 8 100V	Opbouw luidspreker 100V, 50W, 2x6,5" en 1", 6,3 kg, waterbestendig, zwart of wit, geschikt voor achtergrond muziek in de horeca. Afm: 47,2x20,4x22,3 cm. Wordt uitgeleverd en gefactureerd via ITEC. Wij adviseren CXA450 of CXA850 of MA60Media of	€ 497
239999.99	MT-DEL165/6 100V	Plafond inbouw, 100V, 6W, Full range, SPL 1W/1M 100,7, Max SPL 108,5, RAL9010, 110 Hz - 21 kHz, Buiten diameter 220 mm, inbouwdiepte 100mm. Gewicht 1,3 kg. Wordt geleverd via Mennegat Trading BV.	€ 39

Levertijd ITEC is 14 dagen en wordtgeleverd vanuit ITEC in Oostenrijk en franco vanaf €1500,-

MULTI-CHANNEL AMPLIFIERS

230112.00	CXA450	4 Channel power amplifier, 50 watts per channel	€ 679
230109.00	CXA850	8 Channel power amplifier, 50 watts per channel	€ 1.079
		6 Channel power amplifier, 120 watts per channel. Wij adviseren de ITEC Genuine 2 luidspreker.	€ 1.429
230111.00	CXA6		
230152.00	VTX4400	VTX4400 (4x400w) - Power Amps with optional IP/Mac Address. Wij adviseren de Monitor12 luidspreker.	€ 1.499
230153.00	VTX4240	VTX4240 (4x240w) - Power Amps with optional IP/Mac Address	€ 1.299
230154.00	VTX4120	VTX4120 (4x120w) - Power Amps with optional IP/Mac Address. Wij adviseren de ITEC Genuine 2 luidspreker.	€ 999
230155.00	VTX-WM1	VTX-WM1 - Ethernet Web Monitor Card for VTX4120/4240/4400	€ 99
230186.00	CXL1600	2U rack housing to accommodate up to 8 or 4 toroidal transformers, 4 x CXL200T, 4 x CXL400T, 8 x CXL40T, 8 x CXL100T.	€ 199
230187.00	CXL-200T	200W/100V line transformer for VTX4240	€ 159
230189.00	CXL400T	400W/100V line transformer for VTX4400	€ 199

CXV 100V LINE AMPLIFIERS

230113.00	CXV225	2 x 250W @ 40 Ohms, 100V line amplifier. Wij adviseren de ITEC 100Volt luidsprekers.	€ 849
230114.00	CXV425	4 x 250W @ 40 Ohms, 100V line amplifier. Wij adviseren de ITEC 100Volt luidsprekers.	€ 1.399

INTEGRATED ZONE MIXER AMPLIFIERS

230115.00	36/50	Two zone + utility integrated mixer amplifier, 6 music inputs, 1 mic Input, 3x 50W amplifiers	€ 849
230116.00	46/50	Four zone integrated mixer amplifier, 6 music inputs, 2 mic inputs, 4x 50 watt amplifiers. Tip: Je kunt ook 1 LM1 gebruiken en meerdere RSL6.	€ 1.049
230134.00	LM1	inputs, aparte bronkeuze en volume control. Incl inbouwdoos metaal BB960011. Voor 46/50, Z4, Z8.	€ 139
230138.00	RSL6	Remote music source and level control plate for Z4II, Z8II, CX263, CX462, 46/50 & 36/50, MPA60, MPA120, MPA240.	€ 49

ART NUMMER	TYPE NUMMER	OMSCHRIJVING	ADVIES EX.
<u>MPA MIXER AMPLIFIERS</u>			
230119.00	MPA60	60 Watts RMS output into 4ohms or 25/70/100Volt with optional transformer (internal). Wij adviseren de Monitor 6 luidspreker.	€ 549
230120.00	MPA120	120 Watts RMS output into 4ohms or 25/70/100Volt with optional transformer (internal). Wij adviseren de ITEC Genuine 2 luidpreker.	€ 649
230118.00	MPA240	240 Watts RMS output into 4ohms or 25/70/100Volt with optional transformer (internal)	€ 799
<u>DIGITAL PAGING MIC'S</u>			
230122.00	PM1	Single zone paging mic	€ 109
230123.00	PM4	Four zone digital paging mic with analogue interface (Replacment for CDPM4i)	€ 299
230124.00	PM8	Eight zone digital paging mic with analogue interface (Replacment for CDPM8i)	€ 349
230125.00	PM12	Twelve zone digital paging mic with analogue interface (Replacment for CDPM12i)	€ 399
230127.00	PM16	Sixteen zone digital paging mic with analogue interface (Replacment for CDPM16i)	€ 419
230128.00	CPMPSU	External PSU for use with PM mics, required if more than one mic is used and for CDR1 and CDR1F	€ 29
230184.00	PM4-SA	4 zone omroepmicrofoon met SD card spotannouncer	€ 429
230185.00	PM8-SA	8 zone omroepmicrofoon met SD card spotannouncer	€ 499
<u>MEDIA AMPLIFIERS</u>			
230156.00	MA60 MEDIA	MA60 MEDIA - 60 watts, Single-Zone Mixer Amp with USB/SD, wij adviseren de Monitor 6 luidspreker bij de MA60Media.	€ 399
230157.00	MA60	MA60 - 60 watts, Single-Zone Mixer Amp	€ 349
230175.00	RE-L	19" Rackmount Kit for MA60	€ 39
230176.00	RE-S	19" Rackmount Kit for 2 x MA60	€ 39
230177.00	CXL60T	60 Watt 100V/70V toroidal line transformer (wordt intern gemonteerd) voor MA60/Media. Wij adviseren de MT-DEL165 100V luidspreker.	€ 59
230178.00	RSL4	Remote bronkeuze 4x en volume control voor MA60/Media.	€ 49
<u>IN/OPBOUWDOZEN</u>			
230158.00	BB960023	METAAL/ 1GANG metalen inbouwdoos, 25 mm inbouwdiepte. RL-1, RSL-6, RSL-4, WP-8, XLR-F1, XLR-M1	€ 2,20
230159.00	BOX 35MM REC	METAAL / 2GANG metalen inbouwdoos, 35 mm inbouwdiepte, LE-1, BE-1, ME-1, LM-1, CDR1F	€ 5,65
230160.00	BB960001	KUNSTSTOF / 1 eenheid kunststof opbouwdoos, kleur wit, 25 mm inbouwdiepte. RL-1, RSL-6, RSL-4, WP-8, XLR-F1, XLR-	€ 7,06
230161.00	BB960016	KUNSTSTOF / 2 eenheden kunststof opbouwdoos, kleur wit, 37 mm inbouwdiepte. LE-1, BE-1, ME-1, LM-1, CDR1F	€ 12,39
230162.00	BB960011	METAAL / 2GANG metalen opbouwdoos, 35 mm inbouwdiepte, LE-1, BE-1, ME-1, LM-1, CDR1F	€ 15,43

ART NUMMER	TYPE NUMMER	OMSCHRIJVING	ADVIES EX.	
ACCESSOIRES				
230132.00	CXL-800	Rack housing to accommodate up to 8 toroidal transformers	€	199
230138.00	RSL6	Remote music source and level control plate for Z4II, Z8II, CX263, CX462, 46/50 & 36/50, MPA60, MPA120, MPA240.	€	49
230139.00	VCA2	VCA Module, controls two channels of CX-A6 or CX-A4; requires 1 or 2 RL-1's	€	69
230126.00	VCA5	VCA Module, controls one channel of a CX-A450, requires 1 RL-1	€	49
230129.00	CXL-3120	3 X 40 Watt 100V or 70V line transformer module for 36/50 (internal)	€	159
230130.00	CXL-4160	4 X 40 Watt 100V or 70V line transformer module for CX-A450 (internal)	€	189
230131.00	CXL100T	100 Watt 100V/70V toroidal line transformer for VTX41220, CX-A6 (extern monteren).	€	69
230121.00	CXL40T	40 Watt 100V/70V toroidal line transformer for 36/50, 46/50, CX-A450 or CX-A850 (external)	€	59
230137.00	RL1	Remote level control plate	€	25
230141.00	XLR-F1	XLR wall plate with female 3 pin XLR latching connector. (similar to RL-1 & RSL-1)	€	49
230142.00	XLR-M1	XLR wall plate with male 3 pin XLR connector. (similar to RL-1 & RSL-1)	€	49
230179.00	CA340166	CA340166, adapter for EQ2 card voor CXA4/CXA6	€	10
230180.00	CA963EQA	CA963EQA, EQ adapter voor 36/50	€	10

WAREPARTS

<http://www.cloud.co.uk/index.php/wareparts>

BOSE EQ Modules

Deze kaarten moet u bestellen via BOSE.

Op onze werkzaamheden zijn van toepassing onze voorwaarden, waarin een beperking van de aansprakelijkheid is opgenomen. Toepasselijkheid van andere algemene voorwaarden wordt uitdrukkelijk van de hand gewezen.

Lees onze voorwaarden op onze website door op de onderstaande link te klikken.

http://www.mennegat.nl/files/algemene_voorwaarden_mennegat.pdf

Wijzigingen, drukfouten en typfouten voorbehouden.

Cloud alleen verkrijgbaar via de erkende AV installatie vakhandel.

Mennegat
trading 
what you hear is what you get